



# Steel Ring Filter Bag

## STANDARD STEEL RING FILTER BAGS

Dimension:

- ➔ Size 1 = 7" (Dia) x 17" (Length)
- ➔ Size 2 = 7" (Dia) x 32" (Length)
- ➔ Special length available upon request

- ➔ With Filtrex Filter Bags, you can be assured of quality performance
- ➔ Our high quality filter bags fit standard sized vessels
- ➔ The galvanised steel ring enables the ring filter bag to be inserted easily into the bag filter housing and ensures that it remains secure throughout filtration process.
- ➔ These bags come in a variety of sizes and micron ratings to suit all vessel requirements.



## STAINLESS STEEL SNAP RING BAGS

Dimension:

- ➔ Size 1 = 7" (Dia) x 17" (Length)
- ➔ Size 2 = 7" (Dia) x 32" (Length)
- ➔ Special length available upon request

## ORDERING INFORMATION

FT- Model	PE- Material	1- Micron Rating			P- Cover	1- Size	S Ring Material	
FT-	PE = Felt, Polyester PO = Felt, Polypropylene NMO = Nylon Monofilament	PE	PO	NMO	P = Plain	1	S = Steel	
						2	A = SS 304	
						3		
						4		
						5		
				1		1	25	
				3		3	35	
				5		5	50	
				10		10	65	
				25		25	75	
				50		50	90	
				75		100	100	
				100			125	
				200			150	
							175	
				200				
				250				
				300				
				400				
				600				
				800				

**Filtrex Technology Pte Ltd**

\* 4009 Ang Mo Kio Ave 10, #04-37 TECHplace 1, Singapore 569738

| +65 6456 2388 | 7 : +65 6456 8266

Email : info@filtrex-tech.com | Website : www.filtrex-tech.com



## PROVIDING CONSISTENT PERFORMANCE

Polypropylene filter bag is one of the most versatile and popular bags on the market. Made from a non-inserted polypropylene felt with a glazed surface finish, the standard bag incorporates and the welded seam design.

The polypropylene ring provides hermetic sealing, preventing steel ring bypass preventing steel ring bypass problems.

And the welded seam eliminates unfiltered liquid bypass occurring due to needle holes. Polyester filter bag is made from non-inserted polyester, and can be polyester ordered with polyester polyring.

These bags come in a variety of sizes and ring seals to suit your vessel requirements.

---

## FEATURES

- We offer a full line of felt materials and micron ratings
- Conventional sewn bags or the welded seam bags available
- Welded seam construction eliminates unfiltered bypass through needle holes
- Conventional bag rings or the Polyring available on most bags
- Heavy Duty and Extended Life designs available to suit your filtration needs
- Whether sewn or welded-seam, bags can be surface treated to reduce fiber migration. Glazed and singed finishes are available on most felt materials

## FILTER BAG DIMENSIONS

- Size 1: 7" (Dia) X 17" (Length)
- Size 2: 7" (Dia) X 32" (Length)
- Size 3: 4" (Dia) X 9" (Length)
- Size 4: 4" (Dia) X 15" (Length)
- Size 5: 6" (Dia) X 20" (Length)
- Special length available upon request



# Plastic Collar Ring Bag

## ORDERING INFORMATION

<b>FT- Model</b>	<b>PE- Material</b>	<b>100- Micron Rating</b>			<b>P- Cover</b>	<b>1- Size</b>	<b>H Suffix</b>
FT-	PE = Felt, Polyester PO = Felt, Polypropylene NMO = Nylon Monofilament	PE	PO	NMO	P = Plain PN = Polypropylene Netting	1 2 3 4 5	H F
		1	1	25			
		3	3	35			
		5	5	50			
		10	10	65			
		25	25	75			
		50	50	90			
		75	100	100			
		100		125			
		200		150			
				175			
				200			
				250			
				300			
				400			
				600			
				800			

**Filtrex Technology Pte Ltd**

\* 4009 Ang Mo Kio Ave 10, #04-37 TECHplace 1, Singapore 569738

| ' +65 6456 2388 | 7 : +65 6456 8266

Email : [info@filtrex-tech.com](mailto:info@filtrex-tech.com) | Website : [www.filtrex-tech.com](http://www.filtrex-tech.com)